

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	125	\$10wanIT.xa. \$10wanet.xa. \$10wanit.xp.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/23 07:32
S2	20	"6154771".URPN.	USPAT	OR	ON	2004/02/23 13:14
S3	25	("5684715"   "5760767"   "5801685"   "5809512"   "5850352"   "5861880"   "5862260"   "5893053"   "5903892"   "5918012"   "5929850"   "5936679"   "5961603"   "5966121"   "5970473"   "5974219"   "6002401"   "6006241"   "6006265"   "6009236"   "6025837"   "6025886"   "6026433"   "6058141"   "6061054"). PN.	USPAT	OR	ON	2004/02/23 13:25
S4	67	((impos\$3 superimpos\$3) with (user subscriber) near3 (image icon information) with (video)) and (@ad<"20000419" @rlad<"20000419")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/24 12:11
S5	4	((encod\$3 embed\$3) with (user subscriber) near3 (image icon information) with (video near frame)) and (@ad<"20000419" @rlad<"20000419")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/24 12:11
S6	5	((encod\$3 embed\$3) with (user subscriber) near3 (image icon information) with (video near frame)) and (@ad<"20000921" @rlad<"20000921")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/24 12:11
S7	68	((impos\$3 superimpos\$3) with (user subscriber) near3 (image icon information) with (video)) and (@ad<"20000921" @rlad<"20000921")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/24 12:14
S8	9	(((\$3ML (MARK adj UP) markup SCRIPT) WITH ((RECEIPT RECEIV\$3 TARGET GATEWAY INTERMEDIA\$5 RELAY DESTINAT\$3 CLIENT) near2 (list)) ) with XML) and (@ad<"20000419" @rlad<"20000419")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/01 08:36
S9	10	(((\$3ML (MARK adj UP) markup SCRIPT) WITH ((RECEIPT RECEIV\$3 TARGET GATEWAY INTERMEDIA\$5 RELAY DESTINAT\$3 CLIENT) near2 (list)) ) with XML) and (@ad<"20000921" @rlad<"20000921")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/01 08:14
S10	104	(((\$3ML (MARK adj UP) markup SCRIPT) WITH ((RECEIPT RECEIV\$3 TARGET GATEWAY INTERMEDIA\$5 RELAY DESTINAT\$3 CLIENT) near2 (list)) ) and (@ad<"20000419" @rlad<"20000419")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/01 08:17
S11	84	(((\$3ML (MARK adj UP) markup SCRIPT) WITH ((RECEIPT RECEIV\$3 DESTINAT\$3 CLIENT) near2 (list)) ) and (@ad<"20000419" @rlad<"20000419")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/01 08:38

S12	83	(((\$3ML (MARK adj UP) markup SCRIPT) WITH ((RECEIPT REcEIV\$3 DESTINAT\$3 CLIENT) near2 (list)) ) and (@ad<"20000419" @rlad<"20000419")) not ((((\$3ML (MARK adj UP) markup SCRIPT) WITH ((RECEIPT REcEIV\$3 TARGET GATEWAY INTERMEDIA\$5 RELAY DESTINAT\$3 CLIENT) near2 (list)) ) with XML) ((((\$3ML (MARK adj UP) markup SCRIPT) WITH ((RECEIPT REcEIV\$3 TARGET GATEWAY INTERMEDIA\$5 RELAY DESTINAT\$3 CLIENT) near2 (list)) ) with XML) and (@ad<"20000419" @rlad<"20000419")) ((((\$3ML (MARK adj UP) markup SCRIPT) WITH ((RECEIPT REcEIV\$3 TARGET GATEWAY INTERMEDIA\$5 RELAY DESTINAT\$3 CLIENT) near2 (list)) ) with XML) and (@ad<"20000921" @rlad<"20000921")) ((((\$3ML (MARK adj UP) markup SCRIPT) WITH ((RECEIPT REcEIV\$3 TARGET GATEWAY INTERMEDIA\$5 RELAY DESTINAT\$3 CLIENT) near2 (list)) ) same XML))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/01 08:36
S13	4	(((\$3ML (MARK adj UP) markup SCRIPT) WITH ((RECEIPT user REcEIV\$3 DESTINAT\$3 CLIENT) near2 (list)) ) with XML) and (@ad<"20000419" @rlad<"20000419")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/01 08:44
S14	375	(((\$3ML (MARK adj UP) markup SCRIPT) near3 ((RECEIPT REcEIV\$3 user DESTINAT\$3 CLIENT)) ) with XML) and (@ad<"20000419" @rlad<"20000419")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/01 08:52
S15	36	((icon with appliance) and (lan intranet)) and (@ad<"20000419" @rlad<"20000419")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/01 17:18
S16	11	((Home adj network) near3 (menu icon)) and (@ad<"20000419" @rlad<"20000419")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/01 17:38
S17	11	((Home adj network) near3 (menu icon)) (((Home adj network) near3 (menu icon)) and (@ad<"20000419" @rlad<"20000419")) and (lan intranet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/01 17:35
S18	22	((ISP (service adj provider)) same (service near (list menu))) same (icon link)) and (@ad<"20000419" @rlad<"20000419")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/01 17:39
S19	6	((ISP (service adj provider)) same (service near (list menu))) same (icon link)) and set adj top) and (@ad<"20000419" @rlad<"20000419")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/01 17:43
S20	15	((ISP (service adj provider)) same (service near (list menu))) same (icon link)) same ((home adj network) LAN intranet)) (((ISP (service adj provider)) same (service near (list menu))) same (icon link)) and (@ad<"20000419" @rlad<"20000419")) (((ISP (service adj provider)) same (service near (list menu))) same (icon link)) and set adj top) (((ISP (service adj provider)) same (service near (list menu))) same (icon link)) and set adj top) and (@ad<"20000419" @rlad<"20000419")) (((ISP (service adj provider)) same (service near (list menu))) same (icon link)) and set adj top) and (@ad<"20000419" @rlad<"20000419")) and (LAN intranet))) and icon	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/01 17:47

S21	10	((((((ISP (service adj provider)) same (service near (list menu))) same (icon link)) same ((home adj network) LAN intranet)) (((ISP (service adj provider)) same (service near (list menu))) same (icon link)) and (@ad<"20000419" @rlad<"20000419")) (((ISP (service adj provider)) same (service near (list menu))) same (icon link)) and set adj top) (((ISP (service adj provider)) same (service near (list menu))) same (icon link)) and set adj top) and (@ad<"20000419" @rlad<"20000419")) (((ISP (service adj provider)) same (service near (list menu))) same (icon link)) and set adj top) and (@ad<"20000419" @rlad<"20000419")) and (LAN intranet))) and icon) and ((menu list) near3 service)) and (LAN intranet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/01 17:48
S22	27	(intranet adj page) and (@ad<"20000419" @rlad<"20000419")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/02 08:28
S23	9	(intranet near3 homepage) and (@ad<"20000419" @rlad<"20000419")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/02 08:49
S24	13	(intranet with homepage) and (@ad<"20000419" @rlad<"20000419")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/02 08:55
S25	1287	(715/513).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/03/02 09:22
S26	748	((715/513).CCLS.) and (@ad<"20000419" @rlad<"20000419")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 09:12
S27	256	(((715/513).CCLS.) and (@ad<"20000419" @rlad<"20000419")) and intranet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/02 09:23
S28	37	page near5 (online adj service)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/02 10:00
S29	18	(page near5 (online adj service)) and (@ad<"20000419" @rlad<"20000419")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/02 10:38
S30	3	((webpage homepage ((web home) adj page)) with ((menu list) near2 service)) same (intranet LAN internal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/02 10:05
S31	3	(((webpage homepage ((web home) adj page)) with ((menu list) near2 service)) same (intranet LAN internal)) and (icon menu list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/02 10:08
S32	69	((webpage homepage ((web home) adj page)) with ((menu list) near2 service)) and (@ad<"20000419" @rlad<"20000419")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/02 10:18

S33	76	((((Html gui (web adj page) webpage homepage (service adj3 page) home page browser) with (icon menu list)) with intranet) and (@ad<"20000419" @rlad<"20000419"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/02 10:38
S34	0	tonardo near (cod\$3 encod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/02 12:20
S35	24	tornado near (cod\$3 encod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/02 12:42
S36	2217	tornado	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/02 12:38
S37	12	tornado and luby.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/02 12:27
S38	1168	tornado and (@pd<"20000602")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/02 12:42
S39	78	tornado with (((back adj.up) backup archiv\$3) cod\$3 encod\$3 decod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/02 12:40
S40	12	(tornado with (((back adj up) backup archiv\$3) cod\$3 encod\$3 decod\$3)) and (@pd<"20000602")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/02 12:40
S41	30	tornado near3 (cod\$3 encod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/02 12:42
S42	0	(tornado near3 (cod\$3 encod\$3)) and (@pd<"20000602")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/02 12:44
S43	172	(tornado and (@pd<"20000602")) and cod\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/02 12:43
S44	85	((tornado and (@pd<"20000602")) and cod\$3) and computer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/02 12:44
S45	2384281	cod\$3 encod\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/02 12:44

S46	127	((cod\$3 encod\$3) same tornado	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/02 12:46
S47	33	((cod\$3 encod\$3) same tornado) and (@pd<"20000602")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/02 12:48
S48	21	((cod\$3 encod\$3) same tornado) same computer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/02 12:45
S49	1	((cod\$3 encod\$3) same tornado) same computer) and (@pd<"20000602")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/02 12:46
S50	73	(cod\$3 encod\$3) with tornado	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/02 12:46
S51	55	((cod\$3 encod\$3) with tornado) and (computer backup back arhiv\$3 verification verify\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/02 12:46
S52	5	((cod\$3 encod\$3) with tornado) and (computer backup back arhiv\$3 verification verify\$3)) and (@pd<"20000602")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/02 12:47
S53	85	((tornado and (@pd<"20000602")) and cod\$3) and computer) and (@pd<"20000602")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/02 12:48
S54	6	((("20020107877") or ("20020049778") or ("6629150")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/02 16:43
S55	3	((("20020107877") or ("20020049778") or ("6629150")).PN.) and compress\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/02 16:44
S56	5	((("20020107877") or ("20020049778") or ("6629150")).PN.) and (encrypt\$3 hash\$3 back compress\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/02 17:03
S57	2	((("20020107877") or ("20020049778") or ("6629150")).PN.) and hash\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/02 16:48

S58	2	((("20020107877" or ("20020049778" or ("6629150"))).PN.) and encrypt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/02 16:49
S59	5	(((((("20020107877" or ("20020049778" or ("6629150"))).PN.) and compress\$3) (((("20020107877" or ("20020049778" or ("6629150"))).PN.) and (encrypt\$3 hash\$3 back compress\$3)) (((("20020107877" or ("20020049778" or ("6629150"))).PN.) and encrypt\$3) (((("20020107877" or ("20020049778" or ("6629150"))).PN.) and hash\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/02 16:49
S60	1	((("20020107877" or ("20020049778" or ("6629150"))).PN.) and restor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/02 17:03
S61	63868	(file chunk group) near3 (transmi\$4 transfer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 15:28
S62	356	((file chunk group) near3 (transmi\$4 transfer\$3)) and mover	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 15:15
S63	53	((file chunk group) near3 (transmi\$4 transfer\$3)) same mover	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 15:11
S64	25	((file chunk group) near3 (transmi\$4 transfer\$3)) with mover	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 15:11
S65	4	((file chunk group) near3 (transmi\$4 transfer\$3)) with mover) same (decid\$3 determin\$3 analyz\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 15:12
S66	3	((file chunk group) near3 (transmi\$4 transfer\$3)) with mover) same (decid\$3 determin\$3 analyz\$3 ) and (@ad<"20000201" @rlad<"20000201")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 15:15
S67	424	(chunk) near3 (transmi\$4 transfer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 15:14
S68	2	((file chunk group) near3 (transmi\$4 transfer\$3)) with mover) with (decid\$3 determin\$3 analyz\$3 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 15:15
S69	1	((file chunk group) near3 (transmi\$4 transfer\$3)) with mover) with (decid\$3 determin\$3 analyz\$3 )) and (@ad<"20000201" @rlad<"20000201")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 15:15

S70	28	((chunk) near3 (transmi\$4 transfer\$3)) with (decid\$3 determin\$3 analyz\$3 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 15:15
S71	0	(((((chunk) near3 (transmi\$4 transfer\$3)) with (decid\$3 determin\$3 analyz\$3 )) and (@ad<"20000201" @riad<"20000201")) and mover	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 15:16
S72	24	(((((chunk) near3 (transmi\$4 transfer\$3)) with (decid\$3 determin\$3 analyz\$3 )) and (@ad<"20000201" @riad<"20000201"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 15:31
S73	730	((segment fragment chunk) near3 (analyz\$3 determine specify\$3 decid\$3)) with (send\$3 transmi\$4 transfer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 15:30
S74	0	((((segment fragment chunk) near3 (analyz\$3 determine specify\$3 decid\$3)) with (send\$3 transmi\$4 transfer\$3)) same (data adj mover)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 15:30
S75	25	((((segment fragment chunk) near3 (analyz\$3 determine specify\$3 decid\$3)) with (send\$3 transmi\$4 transfer\$3)) same mov\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 15:31
S76	19	(((((segment fragment chunk) near3 (analyz\$3 determine specify\$3 decid\$3)) with (send\$3 transmi\$4 transfer\$3)) same mov\$3) and (@ad<"20000201" @riad<"20000201"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 15:31
S77	199755	watermark\$3 superimpos\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/10 08:11
S78	446398	(member\$4 subscrib\$3 user client customer) near3 (id identif\$6 name account information number icon telephone pager)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/10 08:11
S79	1197474	watermark\$3 \$5impos\$3 encod\$3 embed\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/10 08:12
S80	24952	((member\$4 subscrib\$3 user client customer) near3 (id identif\$6 name account information number icon telephone pager) ) same (watermark\$3 \$5impos\$3 encod\$3 embed\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/10 08:14
S81	1201	((((member\$4 subscrib\$3 user client customer) near3 (id identif\$6 name account information number icon telephone pager) ) same (watermark\$3 \$5impos\$3 encod\$3 embed\$4)) same frame	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/10 08:14
S82	882	(((((member\$4 subscrib\$3 user client customer) near3 (id identif\$6 name account information number icon telephone pager) ) same (watermark\$3 \$5impos\$3 encod\$3 embed\$4)) same frame) and (@ad<"20000419" @riad<"20000419"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/10 08:14

S83	10944	((member\$4 subscrib\$3 user client customer) near3 (id identif\$6 name account information number icon telephone pager) ) with (watermark\$3 \$5impos\$3 encod\$3 embed\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/10 08:14
S84	429	((((member\$4 subscrib\$3 user client customer) near3 (id identif\$6 name account information number icon telephone pager) ) with (watermark\$3 \$5impos\$3 encod\$3 embed\$4)) same frame	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/10 08:14
S85	313	(((((member\$4 subscrib\$3 user client customer) near3 (id identif\$6 name account information number icon telephone pager) ) with (watermark\$3 \$5impos\$3 encod\$3 embed\$4)) same frame) and (@ad<"20000419" @rlad<"20000419")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/10 08:15
S86	22	((((member\$4 subscrib\$3 user client customer) near3 (id identif\$6 name account information number icon telephone pager) ) with (watermark\$3 \$5impos\$3 encod\$3 embed\$4)) same (video adj frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/10 08:15
S87	15	(((((member\$4 subscrib\$3 user client customer) near3 (id identif\$6 name account information number icon telephone pager) ) with (watermark\$3 \$5impos\$3 encod\$3 embed\$4)) same (video adj frame)) and (@ad<"20000419" @rlad<"20000419")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/10 12:21
S88	2	"6701357".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/10 08:38
S89	15	(((((member\$4 subscrib\$3 user client customer) near3 (id identif\$6 name account information number icon telephone pager) ) with (watermark\$3 \$5impos\$3 encod\$3 embed\$4)) same (video adj frame)) and (@ad<"20000921" @rlad<"20000921")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/10 12:37
S90	80	(request near3 (embed\$3 encod\$3)) with ((member\$4 subscrib\$3 user client customer) near3 (id identif\$6 name account information number )) and (@ad<"20000921" @rlad<"20000921")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/10 13:36
S91	42348	request near3 (embed\$4 encod\$3 includ\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/10 13:38
S92	247087	(user memeber subscriber client customer) near3 (id identif\$6 information name account)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/10 13:40
S93	1900391	proxy gateway middle intermedia\$ (local adj server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/10 13:42
S94	3736418	media content file audio video	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/10 13:42
S95	3219	(request near3 (embed\$4 encod\$3 includ\$3)) with ((user memeber subscriber client customer) near3 (id identif\$6 information name account) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/10 13:42



S96	801	((media content file audio video) same ((request near3 (embed\$4 encod\$3 includ\$3)) with ((user memeber subscriber dient customer) near3 (id identif%6 information name account) ))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/10 13:42
S97	52	((media content file audio video) same ((request near3 (embed\$4 encod\$3 includ\$3)) with ((user memeber subscriber dient customer) near3 (id identif%6 information name account) ))) same (proxy gateway middle intermedia\$ (local adj server) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/10 13:43
S98	6	((media content file audio video) same ((request near3 (embed\$4 encod\$3 includ\$3)) with ((user memeber subscriber dient customer) near3 (id identif%6 information name account) ))) same (proxy gateway middle intermedia\$ (local adj server) )) and (@ad<"2000921" @rlad<"20000921")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/10 13:44
S99	142	((media content file audio video) same ((request near3 (embed\$4 encod\$3 includ\$3)) with ((user memeber subscriber dient customer) near3 (id identif%6 information name account) ))) and (@ad<"2000921" @rlad<"20000921")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/10 13:45
S10 0	58895	proxy gateway (local adj server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/23 07:32
S10 1	10238	(proxy gateway (local adj server)) with request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/23 07:33
S10 2	9092	(proxy gateway (local adj server)) with stor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/23 07:33
S10 3	1784	(proxy gateway (local adj server)) with ((user customer client subscriber member) near2 (id identifier identification name account))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/23 11:45
S10 4	107	(proxy gateway (local adj server)) same ((proxy gateway (local adj server)) with request ) same ((proxy gateway (local adj server)) with stor\$3 ) same ((proxy gateway (local adj server)) with ((user customer client subscriber member) near2 (id identifier identification name account)) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/23 07:35
S10 5	39	((proxy gateway (local adj server)) same ((proxy gateway (local adj server)) with request ) same ((proxy gateway (local adj server)) with stor\$3 ) same ((proxy gateway (local adj server)) with ((user customer client subscriber member) near2 (id identifier identification name account)) )) and (@ad<"20000419" @rlad<"20000419")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/23 08:30
S10 6	38	shambroom.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/23 08:28
S10 7	9155	remote adj server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/23 08:28

S10 8	124174	client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/23 08:28
S10 9	458	(proxy gateway (local adj server)) same (remote adj server) same client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/23 08:28
S11 0	170	((proxy gateway (local adj server)) same (remote adj server) same client) same ((proxy gateway (local adj server)) with request )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/23 08:29
S11 1	68	((((proxy gateway (local adj server)) same (remote adj server) same client) same ((proxy gateway (local adj server)) with request )) same ((proxy gateway (local adj server)) with stor\$3 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/23 08:29
S11 2	2	(((((proxy gateway (local adj server)) same (remote adj server) same client) same ((proxy gateway (local adj server)) with request )) same ((proxy gateway (local adj server)) with stor\$3 )) same ((user customer client subscriber member) near2 (id identifier identification name account))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/23 08:30
S11 3	41	(((((proxy gateway (local adj server)) same (remote adj server) same client) same ((proxy gateway (local adj server)) with request )) same ((proxy gateway (local adj server)) with stor\$3 )) and (@ad<"20000419" @rlad<"20000419")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/23 09:42
S11 4	87	(transmit\$3 near3 request) with (remote adj server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/23 09:42
S11 5	39	((transmit\$3 near3 request) with (remote adj server)) and (@ad<"20000419" @rlad<"20000419")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/23 09:58
S11 6	187	multitier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/23 09:57
S11 7	138	multitier and (@ad<"20000419" @rlad<"20000419")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/23 10:00
S11 8	4585	(709/203).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/23 10:00
S11 9	2503	((709/203).CCLS.) and (@ad<"20000419" @rlad<"20000419")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/23 11:47

S12 0	59046	user near3 (id name account)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/23 11:45
S12 1	99798	(encod\$3 embed\$3 append\$3) near3 (content information video audio)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/23 11:46
S12 2	705	(user near3 (id name account)) same ((encod\$3 embed\$3 append\$3) near3 (content information video audio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/23 11:46
S12 3	289	(user near3 (id name account)) with ((encod\$3 embed\$3 append\$3) near3 (content information video audio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/23 11:46
S12 4	158	((user near3 (id name account)) with ((encod\$3 embed\$3 append\$3) near3 (content information video audio))) and (@ad<"20000419" @rlad<"20000419")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/23 11:47
S12 5	1000	(watermark superimpose) near3 (SUBSCRIBER NAME Identifier identification ID)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 09:17
S12 6	142	S125 with (multimedia video object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 09:18
S12 7	87	S126 and (@ad<"20000419" @rlad<"20000419")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 09:18
S12 8	32035	(watermark\$3 encod\$3 superimpos\$3) near3 (SUBSCRIBER NAME Identifier identification ID)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 09:17
S12 9	1458	S128 with (multimedia video object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 09:18
S13 0	1060	S129 and (@ad<"20000419" @rlad<"20000419")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 09:19
S13 1	696	S128 with (multimedia video)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 09:18
S13 2	532	S131 and (@ad<"20000419" @rlad<"20000419")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 09:19